L Number	Hits	Search Text	DB	Time stamp
-	731	710/33	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 15:57
-	978	710/36	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 15:57
-	528	710/65	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 15:57
-	163	710/69	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 15:57
-	2190	710/33 or 710/36 or 710/65 or 710/69	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 15:57
-	445	(710/33 or 710/36 or 710/65 or 710/69) and (address near3 register$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 15:58
-	1	(710/33 or 710/36 or 710/65 or 710/69) and (address near3 register$2 with variable near3 bit$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 15:59
-	0	20020169902.URPN.	USPAT	2003/12/27 15:59
-	1	(address near3 register$2 with variable near3 bit$2) with low	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 15:59
-	52	address near3 register$2 with variable near3 bit$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 16:11
-	2	destination adj address with low with variable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 16:12
-	105	low adj order near5 bits with variable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 16:13
-	1	(low adj order near5 bits with variable) with destination adj address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 16:12
-	32	(low adj order near5 bits with variable).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 16:14

-	62	low adj order adj bits with variable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 16:16
-	91	(low adj order adj bits with variable) not6 ((low adj order near5 bits with variable).ab,ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 16:15
-	46	(low adj order adj bits with variable) not ((low adj order near5 bits with variable).ab,ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 16:15
-	3	low adj order adj bits near3 variable with address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 16:16
-	13	low adj order adj bits with variable with address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:59
-	850	circuit$2 with source with (destination or target) with address$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 16:56
-	9	circuit$2 with source with (destination or target) with address$2 with variable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 16:56
-	0	analog adj to adj digital with converter with multiplexer$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:59
-	8	analog adj to adj digital with converter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:00
-	122529	analog near3 digital with converter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:00
-	6312	analog near3 digital with converter with multiplexer$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:01
-	661	(analog near3 digital with converter with multiplexer$2).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:01
-	2	(analog near3 digital with converter with multiplexer$2 with address$2).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:01
-	41	(analog near3 digital with converter with multiplexer$2 with address$2).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 18:04

| - | 181 | analog near3 digital with converter with (multiple or plurality) with input same multiplexer$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/08 18:05 |
| - | 27 | (analog near3 digital with converter with (multiple or plurality) with input same multiplexer$2).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/08 18:05 |